

Velux A/S  
Ådalsvej 99  
2970 Hørsholm

Project. no. 1316346-01  
Doc. no. 1181004  
Order no. 301151  
Page 1 of 3  
Appendices 1  
Initials MOJ/vw

Teknologiparken  
Kongsvang Allé 29  
DK-8000 Århus C  
Tel. +45 72 20 10 00  
Fax +45 72 20 10 19

info@teknologisk.dk  
www.teknologisk.dk

## Test report




- Test specimen: Wooden horizontal pivot window with outer aluminium covers.  
Width x height: 551 x 778 mm.  
Type specified by the client: GZL C02 1059D.
- Sampling: The test specimen was forwarded by the client and received at the Danish Technological Institute on 2 February 2009. The test specimen was marked GZL C02 1059D 28AV07M by the client.
- Method: EN 14351-1 (2006): Windows and doors - Productstandard, performance characteristics - Part 1: Windows and external pedestrian doorsets without resistance to fire/or smoke leakage characteristics  
Clause 4.7: Impact resistance  
EN 13049 (2003): Windows - Soft and heavy body impact - Test method, safety requirements and classification
- Period: The testing was carried out 4 February 2009.
- Result: The results of the test fulfil the requirements for class 3 according to EN 13049 – the direction of impact was from the outside.
- Terms: The test has been performed according to the rear side conditions, which are according to the guidelines laid down by DANAK (The Danish Accreditation Scheme). The testing is only valid for the tested specimen. The test report may only be extracted if the laboratory has approved the extract.

9 March 2009, Danish Technological Institute, Building Technology, Aarhus

  
Morten Johansen  
M.Sc. in Civil Engineering

Direct tel.: +45 7220 1142  
E-mail: morten.johansen@teknologisk.dk

  
Peter C. Nielsen  
M.Sc. in Civil Engineering

Direct tel.: +45 7220 1945  
E-mail: peter.c.nielsen@teknologisk.dk